

ST-12V COB

ST01-CA9450W12V ST01-CA9450R12V ST01-CA9450G12V ST01-CA9450B12V ST01-CA9450A12V




Product Brief

Features And Benefits	Application
■ 12VDC output voltage	Closet Light, Table Light
Flip Technology	Work Light, Camera Light
• Aluminum COB	Any Batteries & Solar Panel Applications
Voltage, Colors, Dimensions can be customized	DC output customized applications
Unique Design only for your idea	Others




1.Part Number Nomenclature

Part Numbers For ST-12V COB Follow The Convention Below:





2. Outline Dimensions



Notes:

- 1.Drawings are not to scale.
- 2.All dimensions are in millimeters.
- 3. Tolerance: ± 0.20 mm.



3. Absolute Maximum Ratings

Absolute Maximum Ratings For ST-12V COB

PARMETE	R	SYMBOL	TYPICAL PERFORMANCE
Power Dissipation	94*50mm	P_{D}	20.8W
Forward Current	94*50mm	I_{F}	1600mA
Peak Forward Current	94*50mm	${ m I}_{ m FP}$	2000mA
Junction Tempera	ature	Tj	110°C
Operating Temperatu	re Range	$T_{ m opr}$	-30 ~ +80°C
Storage Temperature	e Range	$T_{ m stg}$	-40 ~ +80°C
ESD Sensitivity(HBM)			2000V
Hand Solder Temperature		350±20°C/3~5sec	

Note: *Pulse width \(\le 0.1 \) msec Duty ratio \(\le 1/10 \)

4.Electrical -Optical Characteristics (T_A=25°C)

Color	Dimensio ns (mm)	Group	Min.Luminous Flux (lm)	Max.Luminous Flux(lm)	Forward Current (mA)	Forward Voltage (V)
Cool White 5000-8000K	94*50mm	DO	2288	2698	1600mA	13V
Natural White 3500-5000 K	94*50mm	DO	2288	2698	1600mA	13V
Warm White 2700-3500 K	94*50mm	DO	2080	2496	1600mA	13V
RED Phosphor Type	94*50mm	DO	832	1248	1600mA	13V
GREEN Phosphor Type	94*50mm	DO	1664	2078	1600mA	13V
AMBER Phosphor Type	94*50mm	DO	1872	2288	1600mA	13V
BLUE	94*50mm	DO	416	624	1600mA	13V

Note:

1. tolerance Φ_{V} : ± 100 LM.

2. Any Dimensions can be customized.



5.Packing

Label

Model-Model Number

Name: 12V COB

Power-Wattage

IF-Forward Current


VF-Range Of Forward Voltage

 $IV \, \Phi_V \text{-Range Of Luminance/Lumen}$

CCT-Correlated Color Temperature

QTY--(Quantity)

SHENZHEN SANTANG LIGHTING CO., LTD.			
Model			
Name		Power	
IF		VF	
IVΦv		CCT	
Ra		QTY	
2019-01-01			





6. Legal and additional information.

About Shenzhen SanTang Lighting Co., Ltd.

SHENZHEN SANTANG LIGHTING CO., LTD. (hereafter called ST) is the integration of Independent R&D, Production, and Brand agency which is dedicated to providing LED devices and LED solutions for small and medium enterprises (SME).

Main products are widely used in outdoor lighting, commercial lighting, grow lighting, and other special lighting fields which are included three parts with Customized Module Series (DC/AC PCBA, DC/customized size COB), General Lighting Series (COB, HIGH POWER LED, SMD) and Special lighting Series (UV,IR,GROW LIGHT), and the products have been exported to Europe, Middle-East, East-South Asia and South & North America.

OEM/ODM inquiries will be warmly accepted by ST company with its great abilities of product innovation and supply chains management, we are all committed to focusing on LED light-emitting devices fields and going forward hand in hand with each partner in the best way "Hit The Lights Together"!

Shenzhen SanTang Lighting Co., Ltd.

Contact:

Service: service@szst-led.com Technical: info@szst-led.com Sales: sales@szst-led.com Tel: 0086-755-27752227







